

Le 23 septembre 2024

Madame,

Au nom du Comité du Conseil de sécurité créé par la résolution 1718 (2006), j'ai l'honneur de me référer à votre lettre du 16 septembre 2024, dans laquelle vous présentiez au Comité une demande de dérogation au titre du paragraphe 25 de la résolution 2397 (2017) permettant l'importation d'articles indispensables au bon fonctionnement des systèmes logistiques et des systèmes garantissant la chaîne du froid utilisés dans des projets destinés à améliorer la qualité des soins de santé de la mère, du nouveau-né et de l'enfant, ainsi qu'à l'achèvement d'un projet d'approvisionnement en eau et d'assainissement dans le cadre des activités relatives aux programmes de l'UNICEF en République populaire démocratique de Corée. Je note également que l'UNICEF a demandé que le Comité envisage, à titre exceptionnel, d'approuver pour une période de 12 mois la dérogation relative à l'achat des articles et à leur expédition en République populaire démocratique de Corée par l'UNICEF et que l'UNICEF n'épargnerait toutefois aucun effort pour y expédier les articles dans le délai le plus court possible.

Je vous informe qu'après avoir dûment examiné votre demande, le Comité a décidé, conformément au paragraphe 25 de la résolution 2397 (2017) du Conseil, d'approuver la dérogation et, à titre exceptionnel, sa durée prolongée et, partant, d'autoriser le transfert, dans un délai de 12 mois, des articles énumérés dans votre lettre, dont la liste est jointe à la présente. Les articles devront être expédiés en un seul chargement ou par envoi groupé, le but étant de gagner en efficacité et de simplifier le dédouanement.

Le Comité autorise et encourage l'UNICEF à mener les opérations commerciales et financières strictement nécessaires à l'achat des biens et services faisant l'objet de la dérogation et figurant en pièce jointe, sans préjudice des décisions qui seront prises à cet égard.

Dans le même temps, le Comité demande aux organisations qui fournissent une aide humanitaire en République populaire démocratique de Corée de respecter la durée de la dérogation qui leur est accordée et de se conformer pleinement aux lois, réglementations et autorisations nationales qui régissent les opérations financières et commerciales, le transport de marchandises et les activités de dédouanement sur le territoire des États Membres concernés.

M^{me} Vidhya Ganesh
Chargée du Bureau du Directeur général adjoint chargé des programmes
UNICEF

Je vous informe que la présente lettre et son annexe seront publiées sur le site du Comité 1718 et mises à la disposition du public, notamment des autorités nationales qui participent au contrôle des transferts vers la République populaire démocratique de Corée faisant l'objet d'une dérogation, et ce, pour une durée de 12 mois.

Le Comité tient à remercier l'UNICEF de sa diligence.

Cordialement,

La Présidente
du Comité du Conseil de sécurité
créé par la résolution 1718 (2006)
(*Signé*) Pascale **Baeriswyl**

Pièce jointe :

– Liste des articles destinés à la République populaire démocratique de Corée

DPRK UN Sanction Exemption Request for items to be procured in 2024

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
1	Health	Vehicles	1 unit of refrigerated truck- 10 tons capacity, including temperature humidity loggers, temperature sensor prob and spare parts	Support in transportation of vaccine from the port of entry to Central medical warehouse and from central to provincial medical warehouses, to strengthen the cold chain system and the vaccine management	\$80,000	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
2	Health	Vehicles	6 unit of covered, non-refrigerated truck, 10 ton capacity including spare parts	Support in transportation of vaccine from province to county medical warehouse to strengthen the vaccine management	\$170,000	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
3	Health	vehicles	3 unit of 5 ton covered non-refrigerated trucks and spare parts	Support in transportation of vaccine from province to county medical warehouse to strengthen the vaccine management	\$105,000	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
4	Health	Cold Chain Equipment	1 unit of Zhendre Walk-in type freezer room, mono block, 20m3 for storage of vaccines at national and sub-national levels. External dimensions: L=4300 x W=2300 x H=2775 mm Internal dimensions: L=4000 x W=2000 x H=2415 mm	Support in increasing vaccine storage capacity at the Central Level	\$31,500	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			<p>1. Technical specifications:</p> <p>Prefabricated Freezer room, walk-in, mono block, supplied with all necessary mechanical and electrical fittings and equipment for quick and easy installation in the field.</p> <p>The unit is designed to operate from a mains supply of 400V/3/50Hz as standard or 220V/3/60Hz as an option, with a dual refrigeration unit, each refrigeration unit is sized to give 100% stand-by capacity designed to operate in a maximum ambient of 43°C. Units operating from a different mains supply than described above can be supplied as option, please confirm the power rating during the time of ordering.</p> <p>The complete unit is also designed for installation in a housed area such as a warehouse in order to meet temperature design standards and to protect the equipment from elements.</p> <p>1.1 Specification details:</p> <p>Prefabricated modular walk-in freezer room complete with floor, wall and ceiling panels.</p> <p>Refrigeration unit:</p> <p>-CFC-free refrigerant gas R452A, compliant with the requirements of the Montreal Protocol.</p>							

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			<p>-has an automatic duty sharing with a time relay to balance their wear</p> <p>-is fitted with run-hour meters.</p> <p>Temperature control:The thermostat is calibrated to ITS-90 and accuracy is $\pm 0.5^{\circ}\text{C}$.</p> <p>Internal temperature: -20°C adjustable.</p> <p>Panel Insulation: Insulation thickness: 150 mm with U-value of 0.17 W/m²K</p> <p>Wall and roof panel construction: Panels are self-supporting, wall and roof panel are made from smooth galvanized metal plate 5/10ths with polyester lacquer 25μm.</p> <p>Floor construction: Top of floor panel is coated with hard-wearing non-slip finish.</p> <p>Door construction: Doors are constructed and insulated to the same standard as applicable for wall panels.</p> <p>Opening width: 1000mm</p> <p>Opening height: 2200mm</p> <p>Door frame heating element.</p> <p>With heavy duty hinges and lock with internal safety release.</p> <p>An internal plastic strip curtain.</p>							

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			<p>Shelving: Free-standing, adjustable shelving units, made from Anodized Aluminum.</p> <p>Shelves have 470mm depth, 5 levels</p> <p>Alarm System: A mains-operated audible and visible alarm in the event of mains failure or when room temperatures are outside set limits.</p> <p>Thermometer: A gas pressure thermometer with capillary tube & reversible flange, complying with PQS E006/TH02.</p> <p>Voltage Stabilizer: Bundled with a voltage stabilizer suitable for the cold room power requirement.</p> <p>Remote Temperature Monitoring System (Optional):</p> <p>Remote Temperature Monitoring System RTMS – Optional/ to be supplied upon request.</p> <p>Overall dimensions: Individual components will be able to fit through an 800mm wide door opening (with the door leaf removed if necessary).</p> <p>Warranty: To be covered by a 2-year warranty in the event of any component failure arising from defective design, materials or workmanship.</p>							

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			Instructions: Assembly, operation, technical drawings, wiring diagrams, maintenance and repair manuals in English shall be provided. Upon request, instructions shall be in one of the UN languages most appropriate to the installation site: Arabic, French, Mandarin Chinese, Russian or Spanish.							
5	Health	Cold Chain Equipment	1 unit of cooling unit for WICR and electrical board	To strengthen quality of the vaccine management	\$5000	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
6	Health	Cold Chain Equipment	3000 unit of 30 Day Temperature Logger- Berlinger FT2E Int. sensor, Refrigerator	To improve the temperature monitoring system of the CCEs	\$240,000	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
7	Health	Cold Chain Equipment	6 unit of Spare part kit for Mains Frz. Vestfrost MF314 E003/023 - 220-240V/50/60Hz	To strengthen quality of the vaccine storage and management	\$18,000	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
8	Health	Cold Chain Equipment	3 unit of spare part kit for Mains Ref Vestfrost VLS304A AC E003/110- 220-240V/50/60Hz	To strengthen quality of the vaccine storage and management	\$1,200	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
9	Health	Warehouse equipment	2 unit of forklift (manual), Hydraulic, 3 tons for indoor use.	To improve vaccine management of supplies in the Central medical warehouse and cold room warehouse	\$10,000	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
10	Health	Warehouse equipment	3 unit of Electric forklifts, battery-powered, handling up to 3 tons, hydraulic, for indoor use, vertical to 4 meters high	To improve vaccine management of supplies in the Central medical warehouse and in cold room warehouse	\$ 57,600.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
11	Health	Warehouse equipment	5 unit of Manual hydraulic load carrying barrow, hydraulic, for indoor use	To improve vaccine management of supplies in the Central medical warehouse and in cold room warehouse	\$ 2,000.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
12	Health	Warehouse equipment	2 unit of Freight elevator (plate)	To improve vaccine management of supplies in the Central medical warehouse	\$ 13,200.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
13	Health	Warehouse equipment	3 unit of Hydraulic vertical ladder	To improve vaccine management of supplies in the Central medical warehouse	\$ 3,000.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
14	Health	Warehouse equipment	1 unit of outdoor Forklift(diesel)	To improve vaccine management of supplies in the Central medical warehouse	\$ 14,400.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
15	Health	Warehouse equipment	4 unit of Air conditioners for warehouse, 48,000 BTU	To improve vaccine management of supplies in the Central medical warehouse	\$ 27,000	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
16	Health	Health care waste management	5 unit of Autoclave and shredders for Medical infection and accessories	For proper management of waste from Immunization programme, hospital and health care facilities.	\$ 290,000.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
17	Health	Medical equipment	170 unit of Doppler FHR detector, W/access. Capable of detecting foetal heart rates (FHRs) in the range of 50 - 210 bpm, with 1 bpm resolution and 2 bpm accuracy. Probe (transducer) with 2 MHz frequency with a probe attached via a cable. The cable can be extended to a 25 cm length when stretched.	To monitoring of the fetus condition during pregnancy and delivery to ensure quality care at Basic emergency obstetric and newborn care (BEmONC) and Comprehensive emergency obstetric and newborn care (CEmONC) sites in the 50 UNICEF focused counties.	\$ 23,000.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			<p>Probe detector head diameter at least 39 mm.</p> <p>Handheld, weights less than 0.45 kg with probe and batteries.</p> <p>Built-in speaker with volume adjustment.</p> <p>LCD screen displays FHR, pulse indicator and battery status</p> <p>Visual alerts for status, system error and low battery</p> <p>Operates on 3 x AA batteries.</p> <p>Battery life is sufficient for 10 hours continuous use.</p> <p>SUPPLIED WITH</p> <p>Instructions for assembly, use and maintenance in English, French and Spanish.</p> <p>2 x Tubes of ultrasound gel, approximately 350ml each.</p> <p>2 x Set of Alkeline LR6 batteries (separately packed).</p> <p>1 x Soft, easy to clean carrying bag.</p>							
18	Health	Medical equipment	<p>40 unit of Table,resusc,newborn,w/access,</p> <p>The unit supported by a sturdy and stable wheeled base.</p>	<p>To improve the quality of care for newborns at the time of birth at BEmONC and CEmONC sites in the 50 UNICEF focused counties.</p>	\$ 104,600.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			<p>Bases is provided with a minimum four (4) anti-static swivel castors and at least two (2) of the castors are provided with brakes.</p> <p>The base is equipped with a side handle/rail for easy positioning.</p> <p>Integrated support for 2 x 10 L oxygen cylinders.</p> <p>Side rail and IV pole for mounting accessories and equipment.</p> <p>Provided with a minimum of one (1) lower drawer for storage.</p> <p>An X-ray cassette compartment is integrated under the infant bed.</p> <p>Fixed-height hood above the table integrates heating element and overhead light.</p> <p>The vertical column integrates controls and a display which visualises working parameters and alarms.</p> <p>Equipped with a Treatment /CPR timer which allows pre-sets between 1 to 59 minutes in increments of 1 min.</p> <p>Equipped with an APGAR timer which allows for up and down counting, and provides warning signals after 1, 5 and 10 min.</p>							

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			<p>Power requirements: 100 - 240 Volts - 50/60 Hz (not necessarily in a single unit).</p> <p>TABLE FEATURES:</p> <p>Surface 58 W x 71 L cm (minimum guaranteed dimensions), minimum surface area 4,118 cm².</p> <p>The side panels made of transparent acrylic resin are collapsible/foldable for complete accessibility.</p> <p>Is equipped with a tiltable cradle, up to at least 10°.</p> <p>Mattress covering the entire table surface, thickness no less than 5 cm.</p> <p>Mattress cover flame-retardant, waterproof, and able to withstand hospital-grade disinfection products.</p> <p>Warm-up time < 30 min from 25°C.</p> <p>OVERHEAD HEATER FEATURES:</p> <p>Overhead radiant heater at a fixed height of 1.80m.</p> <p>Radiant heating is achieved by quartz/ceramic elements, placed in a parabolic reflector.</p> <p>Radiator is equipped with a safety grid.</p>							

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			<p>The unit support three (3) modes: Pre-heating, manual and servo mode.</p> <p>The unit allows for instant switching between the different operating modes.</p> <p>The minimum skin temperature setting range is 32°C to 37°C.</p> <p>The temperature control accuracy is: ± 0.5°C and the setting adjustment resolution is 0.1°C.</p> <p>In manual and pre-heating modes heating settings allow for a range of 0 – 100%.</p> <p>LED spotlight(s) for examination are integrated in the overhead radiant heater, the angle of the overhead light is adjustable.</p> <p>ALARM AND SAFETY FEATURES:</p> <p>Alarms are audible as well as visual.</p> <p>Alarms indicating:</p> <ul style="list-style-type: none"> - Sensor disconnection or malfunction. - Power failure. - Skin temperature, after stabilizing, varying beyond 0.5° to 1°C from set-point. - 10 to 15 minutes after manual mode has been engaged an audible alarm will 							

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			<p>sound. In addition, the unit will either reduce or cut the power to the heater.</p> <p>In skin mode, when the temperature exceeds 39°C, the unit will cut the power to the heater.</p> <p>SUPPLIED WITH</p> <p>Instructions for assembly, use and maintenance in English, French and Spanish.</p> <p>1 x Mattress.</p> <p>1 x Installed and 2 x spare reusable skin temperature sensors, with connection cable and plug.</p> <p>1 x Spare quartz/ceramic heating element.</p> <p>1 x Set of spare fuses, if applicable.</p>							
19	Health	Medical equipment	<p>160 unit Oxygen concentrator, 8LPM, single flow, Provides a continuous, variable flow of concentrated oxygen 93% (±3%) derived from room air, to a maximum rate 8 L/min.</p> <p>Contains oxygen monitor to verify concentration.</p> <p>Equipped with two oxygen outlets each provided with controllable flow meter.</p>	For provision of oxygen for newborn, children and women when oxygen is required to improve the quality of care at the BEmONC and CEmONC sites in the 50 UNICEF focused counties.	\$ 115,000.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			<p>Audible and/or visual alarms for low oxygen concentration (<82%) and power supply failure.</p> <p>Audible and visual alarms for high temperature and pressure failure.</p> <p>Power efficiency \leq 70 W/LPM.</p> <p>Digital meter that displays cumulative hours of device operation.</p> <p>Oxygen outlet(s) with 6 mm (¼-inch) barbed fitting.</p> <p>Flowmeter minimum flow rate of 2 L/min. Lower flow rates may be achieved by a combination of the concentrator and a separately supplied flow splitter (details under RELATED PRODUCTS).</p> <p>Flowmeter continuously adjustable, with markings of at most 0.5 LPM intervals.</p> <p>Noise level <60 dB(A).</p> <p>ELECTRICAL CHARACTERISTICS</p> <p>Electrical power requirements to be locally compatible.</p> <p>230 Volt, 50 Hz, 2.1 amps (110 Volt units available)</p> <p>Mains power cable to have length \geq 2.5 m.</p>							

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			<p>Capacity for safe operation from at least $\pm 10\%$ of rated voltage.</p> <p>Electrical protection by resettable circuit breakers or replaceable fuses.</p> <p>SUPPLIED WITH</p> <p>4 x Adult nasal cannula</p> <p>4 x Infant nasal cannula</p> <p>4 x Neonatal nasal cannula</p> <p>1 x T connector</p> <p>2 x Humidifier bottle</p> <p>1 x Bacterial filter (inside device)</p> <p>1 x Dust filter (back of device)</p> <p>8 x Paper filter (1 inside device, 7 spares)</p> <p>1 x Power cord</p> <p>1 x User manual, English</p> <p>1 x Inspection report</p> <p>1 x Packing list, listing spare parts and consumables.</p> <p>1 x List of contact information on the manufacturer</p>							
20	Health	Medical equipment	100 unit of Surg.inst.,abdominal /SET	To improve the quality of care especially cesarean section operation at CEmONC sites in	\$ 17,000.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose	
			4 x S0712200 - Clamp,towel,Backhaus,130mm 1 x S0724000 - Forceps,artery,Kelly,140mm,cvd 2 x S0726000 - Forceps,artery,Kocher,140mm,str 2 x S0728000 - Forceps,artery,Pean/Roch,200mm,cvd 2 x S0728015 - Forceps,artery,Pean/Roch,240mm,cvd 6 x S0730000 - Forceps,artery,Halst- Mosq,125mm,cvd 1 x S0725000 - Forceps,artery,Mixter,230mm 1 x S0721000 - Forceps,dressing,standard,155mm,str 1 x S0722200 - Forceps,dressing,standard,250mm,str 1 x S0722500 - Forceps,dressing,Cheron,250mm 2 x S0728670 - Forceps,intest,clamp,Doyen,230mm,cvd 2 x S0741500 - Forceps,uterine,Phaneuf,215mm,cvd 1 x S0740000 - Forceps,uterine,Duplay,280mm,cvd	the 50 UNICEF focused counties.							that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			2 x S0738000 - Forceps,tissue,Allis,150mm 1 x S0736500 - Forceps,tissue,Babcock,200mm 2 x S0739100 - Forceps,tissue,Duval,230mm 1 x S0737000 - Forceps,tissue,standard,145mm,str 1 x S0737700 - Forceps,tissue,standard,250mm,str 1 x S0743600 - Needle holder,Mayo-Hegar,180mm,str 1 x S0767800 - Retractor,abdo,Collin,3 blades 1 x S0767500 - Retractor,abdo,Balfour,3 blades 1 x S0768960 - Retractor,Farabeuf,d-e,180mm,pair 1 x S0745500 - Scalpel handle,no.4 1 x S0771350 - Scissors,Metzem/Nelson,180mm,cvd,b/b 1 x S0771450 - Scissors,Metzem/Nelson,230mm,cvd,b/b 1 x S0770600 - Scissors,Mayo,170mm,cvd,b/b							

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			<p>1 x S0770800 - Scissors,Mayo,230mm,cvd,b/b</p> <p>2 x S0779700 - Spatula,abdo,malleable,270mm</p> <p>1 x S0760800 - Tube suction,Yankauer,270mm</p> <p>1 x S0225000 - Bowl,stainless steel,600ml</p>							
21	Health	Medical equipment	<p>750 unit of Surg.inst.suture/set,</p> <p>1 x S0773550 - Scissors,Deaver,140mm,cvd,s/b</p> <p>1 x S0743600 - Needle holder,Mayo-Hegar,180mm,str</p> <p>1 x S0726000 - Forceps,artery,Kocher,140mm,str</p> <p>1 x S0745500 - Scalpel handle,no.4</p> <p>1 x S0737000 - Forceps,tissue,standard,145mm,str</p> <p>1 x S0759820 - Probe,double-ended,145mm</p>	To improve the quality of institutional delivery services at BEmONC and CEmONC sites in the 50 UNICEF focused counties.	\$ 5,000.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
22	Health	Medical equipment	<p>750 unit of Surg.inst.,curettage /SET,</p> <p>1 x S0718210 - Dilators,uter,Hegar,d-e,3-4to17-18mm</p> <p>1 x S0722500 - Forceps,dressing,Cheron,250mm</p>	To improve the management of obstetric complications at BEmONC and CEmONC sites in the 50 UNICEF focused counties.	\$ 60,000.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			1 x S0742400 - Forceps,uterine,Museux,240mm,cvd 1 x S0768400 - Retractor,vaginal,Doyen,45x85mm 1 x S0779500 - Retractor,vaginal,Auvar,38x80mm 1 x S0715300 - Scoop,uterine,Simon,12mm,sharp 1 x S0713000 - Curette,uterine,Sims,8mm,blunt 1 x S0714300 - Curette,uterine,Sims,7mm,sharp 1 x S0714700 - Curette,uterine,Sims,9mm,sharp 1 x S0715200 - Curette,uterine,Sims,12mm,sharp 1 x S0775200 - Sound,uterine,Martin,320mm 1 x S0777500 - Speculum,vaginal,Graves,95x35mm 1 x S0237000 - Bowl,stainless steel,180ml							
23	Health	Medical equipment	750 unit of Surg.inst.,exam/sut,vaginal/cervical/SET , 1 x S0770600 - Scissors,Mayo,170mm,cvd,b/b	To improve the management of obstetric complications at BEmONC and CEmONC sites in the 50 UNICEF focused counties.	\$ 30,000.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			1 x S0743600 - Needle holder, Mayo-Hegar, 180mm, str 2 x S0768400 - Retractor, vaginal, Doyen, 45x85mm							
24	Health	Medical equipment	1500 unit of Surg. inst, delivery/set , 1 x S0770500 - Scissors, Mayo, 140mm, cvd, b/b 1 x S0774700 - Scissors, gyneco, 200mm, cvd, b/b 2 x S0726000 - Forceps, artery, Kocher, 140mm, str	To improve the quality of institutional delivery services at BEmONC and CEmONC sites in the 50 UNICEF focused counties.	\$ 10,500.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
25	Health	Medical equipment	750 set of Surg. inst, dressing/set, 1 x S0726000 - Forceps, artery, Kocher, 140mm, str 1 x S0721000 - Forceps, dressing, standard, 155mm, str 1 x S0773500 - Scissors, Deaver, 140mm, str, s/b	To improve the management of obstetric complications at BEmONC and CEmONC sites in the 50 UNICEF focused counties.	\$ 3,000.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
26	Health	Medical equipment	300 unit of Manual Vacuum Aspiration Set (MVA) , Specifications of MVA kit (syringe with accessories) Syringe type: Double valve manual vacuum aspiration syringe Material: plastic which is autoclavable Capacity 50-60 cc	To improve the management of obstetric complications at BEmONC and CEmONC sites in the 50 UNICEF focused counties.	\$ 15,000.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			<p>Pressure: 24-26 inches Mercury</p> <p>Plunger: Double arm Punger with "O" ring collars stop along with retaining clips</p> <p>Valve: made of silicon double pinch valve with a liner</p> <p>Cannulas: Maliable plastic, 4,5,6,7,8,9,10 and 12 mm (total=8 pieces) in size, in different colours</p> <p>Compatible with the syringe without an adaptor</p> <p>Additional three (3) "O" rings & silicion oil for lubrication, 3 (three) extra collar stop to be supplied with each kit.</p> <p>Kit to be supplied in a transparent plastic box which is also autoclavable</p> <p>Sterilization: All parts of the syringe should be cold sterilisable with Glutaraldehyde &0.5% Chlorine, and should be also autoclavable at 121 degrees C.</p> <p>Reusability: The kit should be reusable under defined sterilization conditions, a certificate in this regard should be furnished from a government-approved lab.</p> <p>Shelf Life: Minimum of 2 years from the date of delivery</p>							

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			<p>Manufacturers should be ISO 13485 certified.</p> <p>Dressing forceps, Cheron 25 cm-1</p> <p>Forceps, Museux, 24cm Straight 10 mm, 2x2 teeth -1</p> <p>Forceps Pozzi, tentaculum, 25 cm straight-1</p> <p>Gallipot stainless steel 100ml-1</p> <p>Sound uterine martin, malleable, 30 cm-1</p> <p>Speculum vaginal collin standard (100X35 mm-1</p>							
27	Health	Medical equipment	<p>160 unit of Sterilizer, steam, 39L,</p> <p>Minimum unit gross capacity: 39 litres, indicate if different.</p> <p>Sterilization capacity: 26.4 litres, indicate if different.</p> <p>Aluminium vessel suitable for sterilisation under superheated steam.</p> <p>Operational pressure: 17 - 21 PSI / 1.17 - 1.45 bar, , indicate if different.</p> <p>Operational temperature: 250°F / 121°C, indicate if different.</p> <p>Made of cast aluminium alloy which resist corrosion and aging.</p>	To improve the management of infection prevention at BEmONC and CEmONC sites in the 50 UNICEF focused countries.	\$ 90,000.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			<p>No separate seal required; uses metal-to-metal seal for the lid.</p> <p>Provided with a safety mechanism which prevents opening the unit it is still pressurized.</p> <p>Equipped with clamping locks made from Bakelite or an equivalent material.</p> <p>The removable cover is provided with a handle from Bakelite or an equivalent material.</p> <p>Contains a control valve with an extended exhaust tube to allow air trapped at the bottom to escape.</p> <p>Contains an excess-pressure relief valve.</p> <p>Contains a safety overpressure plug.</p> <p>Comes with an inner aluminium container with handles and a rack to be placed under the container.</p> <p>Scored water level mark inside chamber.</p> <p>Dial type geared steam gauge graduated in kg / cm², and/or PSI and degrees Fahrenheit and/or Celsius, and with colour-coding showing sterilizing zone (green) and caution zone (red).</p>							
28	Health	Medical equipment	<p>160 unit of Drum,sterilizing,165mm diam, Drum, sterilizer.</p> <p>Closing lid with a clip lock.</p>	To improve the management of infection prevention at BEmONC and CEmONC sites in	\$ 1,200.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			<p>Carrying handle.</p> <p>Air vents system to allow steam to circulate freely during the sterilisation cycle.</p> <p>Lateral air vents system is preferable to top and bottom air vents.</p> <p>External diameter: approx. 150 to 165 mm.</p> <p>Height: approx. 100 to 120 mm.</p> <p>Thickness: approx. 0.6 to 0.7 mm.</p> <p>Material: Austenitic stainless steel, smooth surface.</p> <p>Austenitic stainless steel composition: approx. 8-10 % nickel, 18-20 % chromium.</p> <p>Reusable.</p> <p>Supplied with instructions for use.</p>	the 50 UNICEF focused counties.						used for the intended purpose.
29	Health	Medical equipment	<p>160 unit of Drum,sterilizing,260mm diam,Drum, sterilizer.</p> <p>Closing lid with a clip lock.</p> <p>Carrying handle.</p> <p>Air vents system to allow steam to circulate freely during the sterilisation cycle.</p> <p>Lateral air vents system is preferable to top and bottom air vents.</p>	To improve the management of infection prevention at BEmONC and CEmONC sites in the 50 UNICEF focused counties.	\$ 2,000.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			<p>External diameter: approx. 240 to 260 mm.</p> <p>Height: approx. 160 to 170 mm.</p> <p>Thickness: approx. 0.6 to 0.7 mm.</p> <p>Material: Austenitic stainless steel, smooth surface.</p> <p>Austenitic stainless steel composition: approx. 8-10 % nickel, 18-20 % chromium.</p> <p>Reusable.</p> <p>Supplied with instructions for use.</p>							
30	Health	Medical equipment	<p>160 unit Drum,sterilizing,290mm diam, Drum, sterilizer.</p> <p>Closing lid with a clip lock.</p> <p>Carrying handle.</p> <p>Air vents system to allow steam to circulate freely during the sterilisation cycle.</p> <p>Lateral air vents system is preferable to top and bottom air vents.</p> <p>External diameter: approx. 280 to 290 mm</p> <p>Height: approx. 160 to 180 mm.</p> <p>Thickness: approx. 0.6 to 0.7 mm.</p>	To improve the management of infection prevention at BEmONC and CEmONC sites in the 50 UNICEF focused counties.	\$ 2,600.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			<p>Material: Austenitic stainless steel, smooth surface.</p> <p>Austenitic stainless steel composition: approx. 8-10 % nickel, 18-20 % chromium.</p> <p>Reusable.</p> <p>Supplied with instructions for use.</p>							
31	Health	Medical equipment	<p>160 unit of Drum, sterilizer.</p> <p>Closing lid with a clip lock.</p> <p>Carrying handle.</p> <p>Air vents system to allow steam to circulate freely during the sterilisation cycle.</p> <p>Lateral air vents system is preferable to top and bottom air vents.</p> <p>External diameter: approx. 340 to 350 mm.</p> <p>Height: approx. 180 to 200 mm.</p> <p>Thickness: approx. 0.6 to 0.7 mm.</p> <p>Material: Austenitic stainless steel, smooth surface.</p> <p>Austenitic stainless steel composition: approx. 8-10 % nickel, 18-20 % chromium.</p> <p>Reusable.</p>	To improve the management of infection prevention at BEmONC and CEmONC sites in the 50 UNICEF focused counties.	\$ 6,000.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			Supplied with instructions for use.							
32	Health	Medical equipment	<p>160 unit of Stove,kerosene,single-burner,pressure,Comprises of a fuel tank, vapour burner and pot holder</p> <p>Single burner with top plate</p> <p>Diameter flame holder: 5-7 cm</p> <p>Hand-operated plunger pump allows pressurisation of fuel tank and control of flame intensity</p> <p>Pressure, max: 1.3 bar</p> <p>Fit with overpressure safety valve</p> <p>Capacity kerosene fuel tank: 1.2 to 2.5 L</p> <p>Fuel consumption: 0.4-0.6 L/h</p> <p>Height: 20-29 cm</p> <p>Material: Heat and rustproof, steel or brass</p> <p>Supply with</p> <p>10x Cleaning needle1 x Nipple key</p> <p>1 x Plastic funnel with filter</p> <p>1 x Spanner for burner</p> <p>2 x Spare nipple</p> <p>2 x Spare packing for burner</p> <p>2 x Spare leather cup for pump</p>	To improve the management of infection prevention at BEmONC and CEmONC sites in the 50 UNICEF focused counties.	\$ 6,000.00	To be confirmed	To be confirmed	To be confirmed DPRK	To be confirmed	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
33	Water, Sanitation and Hygiene	Shaped steel	2.17 ton of Shaped steel, L-type,63*63*5mm	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 school.	\$ 1,736.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
34	Water, Sanitation and Hygiene	Steel plate	7 ton of Steel plate, Thickness 5mm,width 1,500mm, 6 meter length	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 school.	\$ 7,000.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
35	Water, Sanitation and Hygiene	Steel plate	3 ton of Steel plate, Thickness 3mm, width 1,500mm, 6 meter length	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 school.	\$ 4,000.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
36	Water, Sanitation and Hygiene	Steel wire	310 kg of Steel wire, Diameter 3mm	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 school.	\$ 600.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
37	Water, Sanitation and Hygiene	Steel wire	160 kg of Steel wire, Diameter 1.2mm	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 school.	\$ 300.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
38	Water, Sanitation and Hygiene	Welding rod	530 kg of Welding rod, Core diameter 5mm	Deliver safe water supply for 76,276 population assigned in	\$ 500.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
				1 hospital & 1 clinic and for children of 3 schools.						used for the intended purpose.
39	Water, Sanitation and Hygiene	GI Pipe	24 each of GI Pipe, DN150mm, L=6m	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 2,824.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
40	Water, Sanitation and Hygiene	HDPE Flange	26 each of HDPE Flange OD160mm, spigot/flanges, P=6bar, PE OD160*DN150mm	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 500.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
41	Water, Sanitation and Hygiene	HDPE Flange	8 each of HDPE Flange OD110mm, spigot/flanges, P=6bar, PE OD110*DN100mm	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 100.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
42	Water, Sanitation and Hygiene	HDPE Flange	42 each of HDPE Flange OD75mm, spigot/flanges, P=6bar, PE OD75*DN65mm	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 300.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
43	Water, Sanitation and Hygiene	HDPE Flange	90 each of HDPE Flange OD63mm, spigot/flanges, P=6bar, PE OD63*DN50mm	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 350.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
44	Water, Sanitation and Hygiene	Gate valve	11 each of Gate Valve, DN150mm, with flanges, bolt and nuts, cast iron, P=10bar	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 900.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
45	Water, Sanitation and Hygiene	Gate valve	4 each of Gate Valve, DN100mm, with flanges, bolt and nuts, cast iron, P=10bar	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 180.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
46	Water, Sanitation and Hygiene	Gate valve	21 each of Gate Valve, DN65mm, with flanges, bolt and nuts, cast iron, P=10bar	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 693.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
47	Water, Sanitation and Hygiene	Gate valve	45 each Gate Valve, DN50mm, with flanges, bolt and nuts, cast iron, P=10bar	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 1,332.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
48	Water, Sanitation and Hygiene	Water flowmeter	2 each of Water Flowmeter, DN150mm, with flanges, bolt and nuts, cast iron, P=10bar	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 320.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
49	Water, Sanitation and Hygiene	Water pressure gauge	6 each of Water pressure gauge, Monometer working with pressure range 0-1.6MPa	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 54.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
50	Water, Sanitation and Hygiene	Faucet	3,900 each of Faucet, Φ15mm, Brass, T-handle male threaded, neck length=8cm, hose outlet	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 7,900.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
51	Water, Sanitation and Hygiene	HDPE/GI Adapter	2 each of HDPE/GI Adapter, PE OD160mm*GI DN150mm, female	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 200.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
52	Water, Sanitation and Hygiene	HDPE/GI Adapter	3,900 each of HDPE/GI Adapter, PE OD25mm*GI DN15mm, female threaded	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 3,000	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
53	Water, Sanitation and Hygiene	PE welding machine	4 each of PE welding machine portable welding machine (Manual) including		\$ 2,000.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			pipe alignment compressor, heating plate and cutting blade complete for joining PE pipes: 63mm-250mm size							used for the intended purpose.
54	Water, Sanitation and Hygiene	Hot melt machine	20 each of Hot melt machine, Socket fusion, for pipe diameter 75~110mm	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 600.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
55	Water, Sanitation and Hygiene	Hot melt machine	35 each of Hot melt machine, Socket fusion, for pipe diameter 20~63mm	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 780.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
56	Water, Sanitation and Hygiene	Pipe end grinder	2 each of Pipe end grinder, portable, Rated voltage; 220v, 50Hz, size of cushion; 93* 185mm, Rated input power; 320W, No-loaded speed; 14,000r/min, 3 spare grinding wheels included.	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 250	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
57	Water, Sanitation and Hygiene	Pipe cutter	4 each of Pipe cutter, Electrical, diameter ranges up to 200mm, 220v, 50Hz	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 260.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
58	Water, Sanitation and Hygiene	PE Pipe cutter	15 each of PE Pipe cutter, manganese stainless-steel, sharp knife-edge, for PE pipe diameter 40~75mm	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 187.50	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
										used for the intended purpose.
59	Water, Sanitation and Hygiene	PE Pipe scissor	15 each of PE Pipe cutter, stainless-steel, sharp cutting-edge, for PE pipe diameter 20~40mm	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 97.50	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
60	Water, Sanitation and Hygiene	Generator	1 each of Generator, portable generator for above welding machine (5.0KVA, 220v, 50Hz)	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 600.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
61	Water, Sanitation and Hygiene	Hammer drill	2 each of Hammer drill, Electric, 220v/1,200w, 1,200r/min, twist bits of 10mm, 12mm and 14mm included	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 320.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
62	Water, Sanitation and Hygiene	Concrete pulsator	3 each of Concrete pulsator, Electric power, rod type, 50, 2,840r/min, 8~20 m ³ /h,1.1Kw/220v	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 386.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
63	Water, Sanitation and Hygiene	Rod for pulsator	6 each of Rod for pulsator, diameter 50mm, L=550mm	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 270.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
64	Water, Sanitation and Hygiene	Hoist Puller	2 each of Hoist Puller,3.6t, 3m chain	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 150.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
65	Water, Sanitation and Hygiene	Gabion	20 each of Gabion, galvanised iron wire, thickness of wire 3mm, size of gabion 2m*1m*1m	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 727.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
66	Water, Sanitation and Hygiene	Barbed wire	16 each of Barbed wire, galvanised wire of double twisted, 4pts, 5 inch spacing, a spool of 200meters	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 444.32	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
67	Water, Sanitation and Hygiene	Wrench	20 each of Wrench, A*B=200mm*27mm	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 74.60	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
68	Water, Sanitation and Hygiene	Wrench	20 each of Wrench, A*B=300mm*42mm	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 110.60	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
69	Water, Sanitation and Hygiene	Complete set of tools	2 each of Complete set of tools, 109pcs, of tools including 1/4" to	Deliver safe water supply for 76,276 population assigned in	\$ 169.08	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
			1/2"drivers, sockets, screwdriver bits, hammer, wrench, pliers etc	1 hospital & 1 clinic and for children of 3 schools.						used for the intended purpose.
70	Water, Sanitation and Hygiene	Tape for measurement	4 each of Tape for measurement, steel 50 meters long with metric graduation	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 52.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
71	Water, Sanitation and Hygiene	Tape for measurement	5 each of Tape for measurement, steel 20 meters long with metric graduation	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 41.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
72	Water, Sanitation and Hygiene	Tape for measurement	10 each of Tape for measurement, steel 5 meters long with metric graduation	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 35.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
73	Water, Sanitation and Hygiene	Shovel	100 each of Shovel, with wooden handle, blade size; L=490mm, W=220mm, Total length with handle and blade; 1.5m	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 440.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
74	Water, Sanitation and Hygiene	Picker	60 each of Picker, with wooden handle, blade length; 510mm, wooden handle length; 900mm	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 330.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
75	Water, Sanitation and Hygiene	Hammer	30 each of Hammer, weight of head; 5kg, length of handle; 900mm	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 300.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
76	Water, Sanitation and Hygiene	Wheel barrow	30 each of Wheel barrow, Thickness of the plate; approx.. 0.9mm, capacity; 65L, capacity weight: 150kg, with a wheel, pneumatic tyre	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 990.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
77	Water, Sanitation and Hygiene	Water chlorination EC-100	1 each of Water chlorination EC-100, Capacity 100m ³ /h, 2,400m ³ /day, Power consumption: 2.0kw, Input power 220VAC, 50HZ, Operation: Auto/Manual, Production: Continuous, Including accessories: voltage stabilizer	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 3,000.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
78	Water, Sanitation and Hygiene	Pump with motor	2 each of Pump with motor, 75kw, inlet & outlet DN150mm, Q=190m ³ /h, Total Head=81m, quadrupole, 380V, 50Hz, 1,480r/min	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 9,000.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
79	Water, Sanitation and Hygiene	Soft starting with control panel	2 each of voltage reducing starting with control panel, 100kw for the 55-75kw pumps (380V)	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 2,800.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
80	Water, Sanitation and Hygiene	Transformer	1 unit of Transformer, 150KVA (6,600V/380V)	Deliver safe water supply for 76,276 population assigned in	\$ 3,500.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
				1 hospital & 1 clinic and for children of 3 schools.						used for the intended purpose.
81	Water, Sanitation and Hygiene	Non-return valve + Check valve	2 unit of Non-return valve + Check valve, with slow opening/closing system, DN150mm, with flanges, bolt and nuts, cast iron, P=16bar	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 342.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
82	Water, Sanitation and Hygiene	Pressure release valve	4 unit of Pressure release valve, DN150mm, with flanges, bolt and nuts, cast iron, P=16bar	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 572.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
83	Water, Sanitation and Hygiene	Pressure release valve	1 unit of Pressure release valve, DN100mm, with flanges, bolt and nuts, cast iron, P=16bar	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 95.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
84	Water, Sanitation and Hygiene	Anti-Vibration pipe	4 unit of Anti-Vibration pipe, DN150mm, with flanges, bolt and nuts, P=16bar	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 380.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
85	Water, Sanitation and Hygiene	Foot valve	2 unit of Foot valve, DN150mm, with flanges, bolt and nuts, cast iron, P=10bar	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 116.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
86	Water, Sanitation and Hygiene	Disconnecting switch	2 unit of Disconnecting switch, 200A/12KV	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 145.20	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
87	Water, Sanitation and Hygiene	Cable	30 meter of Cable, 8.7/15KV, 3*25, aluminium core	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 360.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
88	Water, Sanitation and Hygiene	Cable	50 meter of Cable, 8.7/15KV, 3.25, aluminium core	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 788.50	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
89	Water, Sanitation and Hygiene	Trap	20 each of Trap, Φ65 (for floor), stainless steel	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 70.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
90	Water, Sanitation and Hygiene	Hydrostatic test equipment	1 set of Hydrostatic test equipment a set of electrically operated hydrosatic test equipmnet, especially for hydrostatic testing of plastic pipes, including a pump, control PC, water tank, fittings for testing upto OD 400mm at least and etc. Max. Pressure=100bar, 380V, 50~60Hz, 3ph	Deliver safe water supply for 76,276 population assigned in 1 hospital & 1 clinic and for children of 3 schools.	\$ 20,000.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
91	Water, Sanitation and Hygiene	Gate valve	7 each of Gate valve, DN250mm, with flanges, bolt and nuts, cast iron, P=16bar	Deliver safe water supply for 74,416 population, 5 nursery 7 kindergarten, 11 school and 6 clinic	\$ 4,078.62	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
92	Water, Sanitation and Hygiene	Air release valve	9 each of Air release valve, DN250mm, with flanges, bolt and nuts, cast iron, P=10bar	Deliver safe water supply for 74,416 population, 5 nursery 7 kindergarten, 11 school and 6 clinic	\$ 1,350.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
93	Water, Sanitation and Hygiene	Gate valve	9 each of Gate valve, DN250mm, with flanges, bolt and nuts, cast iron, P=10bar	Deliver safe water supply for 10,263 population, 2 nursery /kindergarten, 2 school	\$ 1,747.98	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
94	Water, Sanitation and Hygiene	Gate valve	4 each of Gate valve, DN200mm, with flanges, bolt and nuts, cast iron, P=10bar	Deliver safe water supply for 10,263 population, 2 nursery /kindergarten, 2 school	\$ 400.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
95	Water, Sanitation and Hygiene	Gate valve	11 each of Gate valve, DN150mm, with flanges, bolt and nuts, cast iron, P=10bar	Deliver safe water supply for 10,263 population, 2 nursery /kindergarten, 2 school	\$ 771.21	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
96	Water, Sanitation and Hygiene	Gate valve	11 each of Gate valve, DN100mm, with flanges, bolt and nuts, cast iron, P=10bar	Deliver safe water supply for 10,263 population, 2 nursery /kindergarten, 2 school	\$ 439.56	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
97	Water, Sanitation and Hygiene	Gate valve	11 each of Gate valve, DN65mm, with flanges, bolt and nuts, cast iron, P=10bar	Deliver safe water supply for 10,263 population, 2 nursery /kindergarten, 2 school	\$ 363.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
98	Water, Sanitation and Hygiene	Gate valve	32 each of Gate valve, DN50mm, with flanges, bolt and nuts, cast iron, P=10bar	Deliver safe water supply for 10,263 population, 2 nursery /kindergarten, 2 school	\$ 947.20	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
99	Water, Sanitation and Hygiene	Air release valve	5 each of Air release valve, DN100mm, with flanges, bolt and nuts, cast iron, P=10bar	Deliver safe water supply for 10,263 population, 2 nursery /kindergarten, 2 school	\$ 324.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
100	Water, Sanitation and Hygiene	Water flowmeter	2 each of Water flowmeter, DN250mm, with flanges, bolt and nuts, cast iron, P=10bar	Deliver safe water supply for 10,263 population, 2 nursery /kindergarten, 2 school	\$ 432.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
101	Water, Sanitation and Hygiene	Water flowmeter	1 each of Water flowmeter, DN200mm, with flanges, bolt and nuts, cast iron, P=10bar	Deliver safe water supply for 10,263 population, 2 nursery /kindergarten, 2 school	\$ 194.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
102	Water, Sanitation and Hygiene	Water flowmeter	6 each of Water flowmeter, DN150mm, with flanges, bolt and nuts, cast iron, P=10bar	Deliver safe water supply for 10,263 population, 2 nursery /kindergarten, 2 school	\$ 960.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
103	Water, Sanitation and Hygiene	Water pressure gauge	5 each of Water pressure gauge, Monometer working with pressure range 0-1.6MPa	Deliver safe water supply for 10,263 population, 2 nursery /kindergarten, 2 school	\$ 45.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
104	Water, Sanitation and Hygiene	Faucet	2,870 each of Faucet, Φ15mm, Stainless Steel, neck length=8cm, hose outlet	Deliver safe water supply for 10,263 population, 2 nursery /kindergarten, 2 school	\$ 11,480.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
105	Water, Sanitation and Hygiene	Adapter	2,870 each of Adapter, uPVC OD25mm*GI DN15mm female threaded	Deliver safe water supply for 10,263 population, 2 nursery /kindergarten, 2 school	\$ 889.70	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
106	Water, Sanitation and Hygiene	Filter, fuel	10 each of Filter, fuel Filter, fuel (spare part for air compressor, part number 99274136, model VHP700, Engine: CAT 3306)	Deliver safe water for emergency response and residents in no water supply system or remote area	\$ 1,500.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
107	Water, Sanitation and Hygiene	PE welding machine	4 unit of portable welding machine (Manual) including pipe alignment compressor, heating plate and cutting blade complete for joining PE pipes: 63mm-250mm size	Deliver safe water for emergency response and residents in no water supply system or remote area	\$ 3240.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
108	Water, Sanitation and Hygiene	Vehicle spare parts	1 unit of Petrol engine; four-cylinder engine including 4 oil rings, 8 pressure(compression) rings, camshaft, timing belt and crankshaft. (Vehicle body No. LGWEF7A69GH284716 Engine No. GW4C20A Manufactured in Nov 2016 Haval Model H 7.)	To support the WASH project monitoring visit.	\$ 3,215.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
109	Water, Sanitation	Vehicle spare parts	1 Unit of Air filter; (Vehicle body No. LGWEF7A69GH284716 Engine No. GW4C20A	To support the WASH project monitoring visit.	\$8.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
	and Hygiene		Manufactured in Nov 2016 Haval Model H 7.)							monitoring to ensure that the supplies are used for the intended purpose.
110	Water, Sanitation and Hygiene	Vehicle spare parts	1 Unit of supercharger ; (Vehicle body No. LGWEF7A69GH284716 Engine No. GW4C20A Manufactured in Nov 2016 Haval Model H 7.)	To support the WASH project monitoring visit.	\$ 250.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
111	Water, Sanitation and Hygiene	Vehicle spare parts	8 unit of shock absorber including ones for front, rear, right and left (Vehicle body No. LGWEF7A69GH284716 Engine No. GW4C20A Manufactured in Nov 2016 Haval Model H 7.)	To support the WASH project monitoring visit.	\$ 450.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
112	Water, Sanitation and Hygiene	Vehicle spare parts	8 Unit of triangle frame; one end with a ball connected with a frame and two ends connected with a wheel, to balance the car body and wheels, for right and left (Vehicle body No. LGWEF7A69GH284716 Engine No. GW4C20A Manufactured in Nov 2016 Haval Model H 7.)	To support the WASH project monitoring visit.	\$ 500.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
113	Water, Sanitation	Vehicle spare parts	8 Unit of ball coupling ; to connect front wheels with front axle, and to turn wheels by control of steering wheels	To support the WASH project monitoring visit.	\$ 1,000.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide

Sno	Program	Material Description	Specifications	Purpose	Estimated Value	Origin	Port of departure	Port of entry	Parties involved in transaction	Measure to ensure for use of intended purpose
	and Hygiene		for right and left, (Vehicle body No. LGWEF7A69GH284716 Engine No. GW4C20A Manufactured in Nov 2016 Haval Model H 7.)							monitoring to ensure that the supplies are used for the intended purpose.
114	Water, Sanitation and Hygiene	Vehicle spare parts	10 unit of lubricant motor oil for Vehicle body No. LGWEF7A69GH284716 Engine No. GW4C20A Manufactured in Nov 2016 Haval Model H 7	To support the WASH project monitoring visit.	\$ 500.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
115	Water, Sanitation and Hygiene	Vehicle spare parts	12 Unit of tyre 235x55x19, 4 season tyre	To support the WASH project monitoring visit.	\$ 1,200.00	China	To be determined	To be determined	To be determined	UNICEF International staff will provide monitoring to ensure that the supplies are used for the intended purpose.
			Total supply amount		\$1,678,657.57					